Google

Web   Images   Video   News   Maps   **more »**

| ibm performance trace | | Search |

Web

Results **1 - 10** of about **1,160,000** for ibm <u>performance</u> <u>trace</u>. (0.18 seconds).

alphaWorks : **Performance Trace** Data Visualizer for System i : Overview
A tool for processing, analyzing, and viewing **Performance** Explorer (PEX) Collection data
residing in PEX database files for System i.
www.alphaworks.**ibm**.com/tech/ptdv - 23k - <u>Cached</u> - <u>Similar pages</u>

alphaWorks : **IBM Performance** Simulator for Linux on POWER : Overview
The **performance** models are software-based and **trace**-driven, which means that ... The
models are written by hand in a proprietary **IBM** language and verified ...
www.alphaworks.**ibm**.com/tech/simppc - 24k - <u>Cached</u> - <u>Similar pages</u>

IBM Performance Optimization Toolkit
IBM Performance Optimization Toolkit for **IBM** Rational **Performance** Tester ...
performance trace data with the developer using **IBM** Rational Application ...
www.**ibm**.com/software/rational/toolkit/ipo_toolkit.html - 18k - <u>Cached</u> - <u>Similar pages</u>

IBM Performance Management: **Trace** events
This file is based on the V5R2 info on addpexdfn's type(***trace**) event parameters.
www.**ibm**.com/servers/eserver/iseries/perfmgmt/**trace**events.html - 16k -
<u>Cached</u> - <u>Similar pages</u>

IBM Performance Explorer
The most detailed mode is called ***TRACE** which gathers a historical **trace** of **performance**
activity for one or more jobs on the system. ...
www-03.**ibm**.com/servers/eserver/iseries/pex.html - 20k - <u>Cached</u> - <u>Similar pages</u>

Performance Tools
This includes assistance in managing **performance** over a distributed network, collecting
and reporting on both summary and **trace** data, and capacity planning.
publib.boulder.**ibm**.com/infocenter/iseries/v5r4/topic/rzahx/rzahxperftoolsdesc.htm - 8k -
<u>Cached</u> - <u>Similar pages</u>

DB2V8 - Administration - Effect on DB2 **performance**
In particular, when you activate a **performance trace**, you should qualify the ... Start the
global **trace** only if a problem is under investigation, and **IBM** ...
publib.boulder.**ibm**.com/infocenter/dzichelp/
v2r2/topic/com.**ibm**.db2.doc.admin/bjndmstr1027.htm - 6k - <u>Cached</u> - <u>Similar pages</u>

IBM Wikis - AIX 5L Wiki - **Performance** Tools - **Trace** Based Commands
Pilot of **IBM**.com wikis for technical support. ... **Performance** Tools - **Trace** Based
Commands ... CPU Monitoring, tprof, curt, splat, **trace**, trcrpt ...
www-941.**ibm**.com/collaboration/wiki/pages/viewpage.action?pageId=172 - 19k -
<u>Cached</u> - <u>Similar pages</u>

Performance Inspector
There are other tools that have similar capability: Linux **Trace** Toolkit, ... **IBM** is a trademark
of International Business Machines Corporation in the United ...
perfinsp.sourceforge.net/ - 8k - <u>Cached</u> - <u>Similar pages</u>

The DB2 **trace** facility and OMEGAMON II for DB2 historical ...
A publication for the **IBM** Tivoli and zSeries community ... There are literally hundreds of
different **performance trace** IFCIDs to choose from. ...
www-306.**ibm**.com/software/tivoli/features/ccr2/ccr2-2004-07/features-db2**trace**.html - 40k -
<u>Cached</u> - <u>Similar pages</u>

Google

ibm pex   Search   Advanced Search
                                                           Preferences

---

Web

Results **1 - 10** of about **248,000** for **ibm pex**. (0.17 seconds)

IBM Performance Management: V5R2 Performance Explorer (PEX ...
Performance Management: V5R2 Performance Explorer (**PEX**) Machine Instructions.
www-03.**ibm**.com/servers/eserver/iseries/perfmgmt/v4r5mi.html - 36k -
Cached - Similar pages

[PDF] Collecting and Analyzing PEX Trace Profile Data   V
File Format: PDF/Adobe Acrobat - View as HTML
United States, other countries, or both: **IBM** iSeries **PEX**. Java and all Java-based
trademarks and. logos are trademarks or registered trademarks of Sun ...
www-03.**ibm**.com/servers/eserver/iseries/perfmgmt/pdf/tprof.pdf - Similar pages

This page has been moved
www.**ibm**.com/servers/eserver/iseries/perfmgmt/**pex**.html. Your browser will be redirected
automatically to the new location in 15 seconds. ...
www.**ibm**.com/servers/eserver/iseries/perfmgmt/**pex**.htm - 13k - Cached - Similar pages

IBM Solutions development for IBM Systems: Education
Note: This paper focuses on using the TPROF tool in the iSeries and **IBM** i5/OS®
environment. Although Performance Explorer (**PEX**) is generally implemented for ...
www.**ibm**.com/servers/enable/site/education/wp/9a1a/index.html - 36k -
Cached - Similar pages

PEX Module Names RSS for PEX Module Names
Get involved in the developerWorks community by participating in discussion forums.
www-128.**ibm**.com/.../forums/dw_thread.jsp?forum=871&
message=13890970&thread=142620&cat=53 - 39k - Cached - Similar pages

What's new in V5R3 for IBM Developer Kit for Java
Create a Performance Explorer (**PEX**) definition that specifies: ... Start the **PEX** data
collection by using the Start Performance Explorer (STRPEX) command. ...
publib.boulder.**ibm**.com/infocenter/iseries/v5r3/topic/rzaha/colpdc.htm - 6k -
Cached - Similar pages

Add PEX Definition (ADDPEXDFN)
Add **PEX** Definition (ADDPEXDFN) ... under Programming->CL in the iSeries Information
Center at the Web site: http://www.**ibm**.com/eserver/iseries/infocenter ...
publib.boulder.**ibm**.com/infocenter/iseries/v5r3/topic/cl/add**pex**dfn.htm - 70k -
Cached - Similar pages

IBM Redbooks | AS/400 Performance Explorer Tips and Techniques
In addition to standard **PEX** *TRACE functions, this redbook also provides examples of
"enhanced **PEX** *TRACE" ... **IBM** Form Number SG24-4781-00. Number of pages ...
www.redbooks.**ibm**.com/abstracts/sg244781.html - 22k - Cached - Similar pages

alphaWorks : Performance Trace Data Visualizer for System i ...
A tool for processing, analyzing, and viewing Performance Explorer (**PEX**) Collection data

Google

Web   Images   Video   News   Maps   **more »**

| ibm pex java and performance | Search | Advanced Search |
| | | Preferences |

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 10** of about **29,300** for **ibm pex java and performance**. (0.28 seconds)

Did you mean: ibm *lpex* java and performance

What's new in V5R3 for **IBM** Developer Kit for **Java**
If you do not perform this step, no **performance** data is collected by the **PEX** and no output
is produced by running the **Java Performance** Data Converter (JPDC) ...
publib.boulder.**ibm**.com/infocenter/iseries/v5r3/topic/rzaha/colpdc.htm - 6k -
Cached - Similar pages

   Tune **Java** program **performance** with **IBM** Developer Kit for **Java**
   Tune **Java** program **performance** with **IBM** Developer Kit for **Java** ... For examples of **PEX**
   reports, see the **Performance** Tools for iSeries, SC41-5340 Link to PDF ...
   publib.boulder.**ibm**.com/infocenter/iseries/v5r3/topic/rzaha/tuning.htm - 5k -
   Cached - Similar pages

[PDF] Collecting and Analyzing **PEX** Trace Profile Data
File Format: PDF/Adobe Acrobat - View as HTML
Jeremy specializes in **Java** and WebSphere **performance**. ... United States, other
countries, or both: **IBM** iSeries **PEX**. **Java** and all **Java**-based trademarks and ...
www-03.**ibm**.com/servers/eserver/iseries/perfmgmt/pdf/tprof.pdf - Similar pages

   IBM Performance Management: V5R2 **Performance** Explorer (**PEX** ...
   V5R2 **Performance** Explorer (**PEX**) Machine Instructions ... CREATE **JAVA** VIRTUAL
   MACHINE CREATE **JAVA** PROGRAM ACREATE JAVAX ARRAY CREATE JAVAX
   MULTIDIM ARRAY ...
   www-03.**ibm**.com/servers/eserver/iseries/perfmgmt/v4r5mi.html - 36k -
   Cached - Similar pages

alphaWorks : **Performance** Trace Data Visualizer for System i : Overview
Mr. Arnold joined **IBM** in 1998 and works as part of the Systems **Performance** organization
with a focus on **Java performance** for iSeries. ...
www.alphaworks.**ibm**.com/tech/ptdv - 23k - Cached - Similar pages

   alphaWorks : **Performance** Trace Data Visualizer for System i ...
   A tool for processing, analyzing, and viewing **Performance** Explorer (**PEX**) ... version 1.4 or
   above (from **IBM** or Sun); **IBM** Toolbox for **Java** or JTOpen (JTOpen ...
   www.alphaworks.**ibm**.com/tech/ptdv/requirements - 23k - Cached - Similar pages

IBM Tivoli Access Manager: **Performance** tuning tips when using the ...
About **IBM** Tivoli Access Manager. Authorization **Java** Classes. **Performance** Tuning ...
catch (PDException **pex**) { System.err.println(**pex**.getMessages()); **pex**. ...
www.**ibm**.com/developerworks/tivoli/library/t-javaclass/ - 39k - Cached - Similar pages

   [PDF] Tuning Garbage Collection for **Java** TM and WebSphere on iSeries
   File Format: PDF/Adobe Acrobat - View as HTML
   This can be done using a **Performance** Explorer (**PEX**) trace profile ... (http://www-
   912.**ibm**.com/i_dir/idoctor.nsf/jw.html). Tuning GC for **Java** and WebSphere ...
   www.**ibm**.com/servers/eserver/iseries/perfmgmt/pdf/tuninggc.pdf - Similar pages

iDoctor for iSeries
Provides table and tree views of **Performance** Explorer Collection trace data. ... Unlike **PEX**
Analyzer, PTDV was designed for analysis of **Java** applications on ...
www-912.**ibm**.com/i_dir/iDoctor.nsf - 15k - Cached - Similar pages

[PDF] **Java and WebSphere Performance**
File Format: PDF/Adobe Acrobat
Creating **PEX** definition for **Java performance** collection. You now create a definition for
PEX ... http://www.**ibm**.com/servers/eserver/iseries/sftsol/**pex**.htm ...
www.redbooks.**ibm**.com/redbooks/pdfs/sg246256.pdf - Similar pages

Did you mean to search for: ibm *Ipex* java and performance

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

| ibm pex java and performance | | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S68	16	717/121.ccls. and (log or logg$3 or trace or tracing) and (number adj6 (file or line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/12 09:37
S4	0	10/685806 and (deliver$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/12 09:36
S67	7	08/989725 and (number adj9 (message or record or trace or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 13:32
S66	10	08/989725 and (number near9 (message or record or trace or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 13:32
S65	8	08/989725 and (number near6 (message or record or trace or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 13:30
S64	63	(trace adj (file or output or record)) and ((number adj4 (trace or file or output or record)) near6 (report$4 or determin$4 or select$4 or choos$4 or specif$4)) and (((trace or file or output or record) near4 (line or big or size or page)) near6 (record$4 or determin$6 or select$4 or choos$4 or specif$4)) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 13:28
S62	52	(trace adj (file or output)) and (((trace or file or output) near4 number) near6 (determin$4 or select$4 or choos$4 or specif$4)) and (((trace or file or output) near4 (line or big or size or page)) near6 (determin$6 or select$4 or choos$4 or specif$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 12:43
S61	107	(trace adj (file or output)) and (((trace or file or output) near4 number) near6 (determin$4 or select$4 or choos$4 or specif$4)) and ((trace or file or output) near4 (line or big or size or page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 12:42
S60	440	(trace adj (file or output)) and ((trace or file or output) near4 number) and ((trace or file or output) near4 (line or big or size or page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 12:41
S54	77	(error with message) and (warning with message) and (information with message) and ((number or count$4) near4 message) and (message near6 (trac$4 or profil$6 or monitor$4 or debug$4)) and ((number or count$4) near4 (line or page)) and ((interval or time or period or (time near2 range)) same (parameter or input$4)) and ((parameter or input$4) same (file or component or application or module or (propert$4 adj file))) and ((type or message) with (error with (warning or info$7))) and (type near6 message) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 12:14

S53	85	(error with message) and (warning with message) and (information with message) and ((number or count$4) near4 message) and (message near6 (trac$4 or profil$6 or monitor$4 or debug$4)) and ((number or count$4) near4 (line or page)) and ((interval or time or period or (time near2 range)) same (parameter or input$4)) and ((parameter or input$4) same (file or component or application or module or (propert$4 adj file))) and ((type or message) with (error with (warning or info$7))) and (type near6 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:45
S52	93	(error with message) and (warning with message) and (information with message) and ((number or count$4) near4 message) and (message near6 (trac$4 or profil$6 or monitor$4 or debug$4)) and ((number or count$4) near4 (line or page)) and ((interval or time or period or (time near2 range)) same (parameter or input$4)) and ((parameter or input$4) same (file or component or application or module or (propert$4 adj file))) and ((type or message) with (error with (warning or info$7)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:44
S51	56	(error with message) and (warning with message) and (information with message) and ((number or count$4) near4 message) and (message near6 (trac$4 or profil$6 or monitor$4 or debug$4)) and ((number or count$4) near4 (line or page)) and ((interval or time or period or (time near2 range)) same (parameter or input$4)) and ((parameter or input$4) same (file or component or application or module or (propert$4 adj file))) and ((type or message) with (error with warning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:43
S50	132	(error with message) and (warning with message) and (information with message) and ((number or count$4) near4 message) and (message near6 (trac$4 or profil$6 or monitor$4 or debug$4)) and ((number or count$4) near4 (line or page)) and ((interval or time or period or (time near2 range)) same (parameter or input$4)) and ((parameter or input$4) same (file or component or application or module or (propert$4 adj file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:42
S49	133	(error with message) and (warning with message) and (information with message) and ((number or count$4) near4 message) and (message near6 (trac$4 or profil$6 or monitor$4 or debug$4)) and ((number or count$4) near4 (line or page)) and ((interval or time or period or (time near2 range)) same (parameter or input$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:32
S48	163	(error with message) and (warning with message) and (information with message) and ((number or count$4) near4 message) and (message near6 (trac$4 or profil$6 or monitor$4 or debug$4)) and ((number or count$4) near4 (line or page)) and (interval or time or period or (time near2 range))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:31
S46	163	(error with message) and (warning with message) and (information with message) and ((number or count$4) near4 message) and (message near6 (trac$4 or profil$6 or monitor$4 or debug$4)) and ((number or count$4) near4 (line or page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:30
S45	449	(error with message) and (warning with message) and (information with message) and ((number or count$4) near4 message) and (message near6 (trac$4 or profil$6 or monitor$4 or debug$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:28
S44	522	(error with message) and (warning with message) and (information with message) and ((number or count$4) near4 message) and (message with (trac$4 or profil$6 or monitor$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:25
S43	893	(error with message) and (warning with message) and (information with message) and ((number or count$4) near4 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:24

EAST Search History

S42	2103	(error with message) and (warning with message) and (information with message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:24
S41	1	10/681910	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 11:23
S40	1	10/681908	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/10 10:47
S39	105	((server or portal) near6 (monitor$4 or trac$4 or log$4 or profil$6)) and (type near3 (message or log$4 or trac$4)) and (number near3 (message or log$4 or trac$4)) and ((message or log$4 or trac$4) near4 (line or page)) and (interval same (input$4 or parameter) same (file or component or object or (propert$4 adj file))) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 17:42
S37	114	((server or portal) near6 (monitor$4 or trac$4 or log$4 or profil$6)) and (type near3 (message or log$4 or trac$4)) and (number near3 (message or log$4 or trac$4)) and ((message or log$4 or trac$4) near4 (line or page)) and (interval same (input$4 or parameter) same (file or component or object or (propert$4 adj file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 17:39
S35	370	((server or portal) near6 (monitor$4 or trac$4 or log$4 or profil$6)) and (type near3 (message or log$4 or trac$4)) and (number near3 (message or log$4 or trac$4)) and ((message or log$4 or trac$4) near4 (line or page)) and (interval same (file or component or object or (propert$4 adj file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 17:39
S34	488	((server or portal) near6 (monitor$4 or trac$4 or log$4 or profil$6)) and (type near3 (message or log$4 or trac$4)) and (number near3 (message or log$4 or trac$4)) and ((message or log$4 or trac$4) near4 (line or size or page)) and (interval same (file or component or object or (propert$4 adj file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 17:38
S33	1251	((server or portal) near6 (monitor$4 or trac$4 or log$4 or profil$6)) and (type near3 (message or log$4 or trac$4)) and (number near3 (message or log$4 or trac$4)) and ((message or log$4 or trac$4) near4 (line or size or page)) and interval	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 17:37
S31	3078	((server or portal) near9 (monitor$4 or trac$4 or log$4 or profil$6)) and (type near4 (message or log$4 or trac$4)) and (number near4 (message or log$4 or trac$4)) and ((message or log$4 or trac$4) near4 (line or size or page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 17:35
S30	6227	((server or portal) near9 (monitor$4 or trac$4 or log$4 or profil$6)) and (type near4 (message or log$4 or trac$4)) and (number near4 (message or log$4 or trac$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 17:33
S29	12539	((server or portal) near9 (monitor$4 or trac$4 or log$4 or profil$6)) and (type near4 (message or log$4 or trac$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/09 17:33

S28	17	((profil$6 or trace or tracing) same server same performance) and (((report or record) near2 number) with (generat$4 or specif$4 or determin$4)) and ((line or page) with (report or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 15:39
S27	5	((profil$6 or trace or tracing) same server same performance) and (((report or record) near2 number) with trac$4) and ((line or page) with (report or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 15:38
S26	49	((profil$6 or trace or tracing) same server same performance) and ((report or record) near2 number) and ((line or page) with (report or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 15:35
S25	110	((profil$6 or trace or tracing) same server same performance) and ((report or record) near2 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 15:34
S24	57	((number near4 (trac$4 or (trac$4 adj record))) with generat$4 with (select$4 or specif$4 or determin$6 or choos$4)) and ((trac$4 or record) with ((line or page) near4 (count$4 or number or maximum))) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 15:33
S23	80	((number near4 (trac$4 or (trac$4 adj record))) with generat$4 with (select$4 or specif$4 or determin$6 or choos$4)) and ((trac$4 or record) with ((line or page) near4 (count$4 or number or maximum)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 14:27
S22	27	((trac$4 or profil$6) with (performance or metric$4)) and ((number near4 (trac$4 or record)) with generat$4) and ((trac$4 or record) with ((line or page) near4 (count$4 or number or maximum))) and @ay<"2004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 14:25
S21	32	((trac$4 or profil$6) with (performance or metric$4)) and ((number near4 (trac$4 or record)) with generat$4) and ((trac$4 or record) with ((line or page) near4 (count$4 or number or maximum)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 14:16
S20	29	((trac$4 or profil$6) with (performance or metric$4)) and ((number near4 (trac$4 or record)) with generat$4) and ((trac$4 or record) with ((line or page) near4 (count$4 or number)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 14:15
S18	589	((trac$4 or profil$6) with (performance or metric$4)) and ((number near4 (trac$4 or record)) with generat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 14:14
S17	2	(trac$4 or profil$6) and ((select$4 or identif$6 or specif$6 or choos$4 or determin$6) same (component or module or function or method) same (file or (description adj file) or descriptor) same (time or period or interval)) and ((trac$4 adj2 record) with (line near3 (count$4 or number)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 14:11

S16	162	((trac$4 or profil$6) with (insert$4 or instrument$6)) and ((select$4 or identif$6 or specif$6 or choos$4 or determin$6) same (component or module or function or method) same (file or (description adj file) or descriptor) same (time or period)) and (trac$4 adj2 record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 14:08
S15	3663	((trac$4 or profil$6) with (insert$4 or instrument$6)) and ((select$4 or identif$6 or specif$6 or choos$4 or determin$6) same (component or module or function or method) same (file or description or descriptor) same (time or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/07 13:13
S14	19	(((wireless adj application) or midlet) near4 (test$4 or monitor$4 or profil$6)) and (message near6 (line or number or count$4 or type or instance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 18:24
S13	8	(((wireless adj application) or midlet) near4 (test$4 or monitor$4 or profil$6)) and (message near6 (line or number or count$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 18:24
S12	63	(((wireless adj application) or midlet) near4 (test$4 or monitor$4 or profil$6)) and message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 18:24
S11	7566	((wireless adj application) or midlet) and message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 18:23
S10	66	((profil$6 or monitor$4) near4 ((wireless adj application) or midlet)) and @ay<"2005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 18:22
S8	92	((profil$6 or monitor$4) near4 ((wireless adj application) or midlet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 18:06
S7	1	10/685806 and (message adj quantity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 18:03
S6	0	10/685806 and (dur$4 near2 execut$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 18:01
S3	1	10/685806 and (end adj2 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 17:58

S5	29	"5752242"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 17:52
S2	1	10/685806 and (computer adj2 component) and (properti$4 adj file) and (predetermin$4 adj2 period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 17:50
S1	1	10/685806	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/06 17:36